B DOWNLOAD DATA

Introduction

Data Last Updated: 2022-08-29 12:18:28

Natural and working lands include wetlands, open space, beaches and dunes, agricultural lands and forests. These lands provide various economic and ecosystem service values including production agriculture for food, timber, and horticultural purposes; habitat; recreation; flood protection; recharge and filtration; and sequestration of carbon. Wetlands, are tidal or nontidal areas where water covers the soil and is present at or near the soil surface all year or for varying periods of time. Wetlands are important for flood protection, nurseries for fisheries and habitat for wildlife. Wetlands also filter and trap pollutants and excess nutrients from water runoff associated with impervious surfaces and therefore, critical for water quality. Coastal wetlands help protect coastal areas by absorbing wave energy and reducing flooding and erosion. Understanding where natural and working lands are in relation to climaterelated hazards can help a community plan for impacts to these critical resources.

There are 3 types of flood events:

- 1. Riverine (or 'fluvial') flood events occur when intense rain events cause rivers and streams to overtop their banks.
- 2. Flash (or 'pluvial') floods occur when intense rainfall causes a flood event that is not directly associated with a body of water. For example, flash flood events include floods in roadways from impaired stormwater management systems.
- 3. Coastal flood events occur when sea-level rise, high tides, and storm surge combine to create flood events that range from nuisance high-tide floods to destructive storm tides from seawater.

The Federal Emergency Management Agency (FEMA) models flood hazards, both riverine (1) and coastal (3), as part of the National Flood Insurance Program (NFIP) regulations and insurance requirements. FEMA does not model flash flood events (2) for their NFIP flood mapping.

In addition, coastal flood event exposures are assessed using a Total Water Level (TWL) approach for tidally influenced waters. The TWL approach combines sea-level rise and extreme water level information from NOAA to assess exposure to a variety of coastal flood events to complement FEMA flood mapping. The Appendix below provides additional background.



Natural and Working Lands in Exposed Areas

Total Acres In Municipality: 571

Assets	Total Acres of Natural and Working Land Types	Acres Exposed at 2ft TWL	Acres Exposed at 5ft TWL	Acres Exposed at 7ft TWL
Wetlands (Interior)	5	2	3	4
Open Space	1	0	0	0
Beaches And Dunes	0	0	0	0
Agricultural Lands	0	0	0	0
Forest	7	2	3	4

⊘ LINK TO LAND AREA LIVE MAP

Natural and Working Lands in FEMA Flood Zone Areas

Total Acres In Municipality: 571

Assets	Total Acres of Natural and Working Land Types	Acres Exposed in 1% Annual Chance Flood	Acres Exposed in 0.2% Annual Chance Flood
Wetlands (Interior)	5	3	4
Open Space	1	0	0
Beaches And Dunes	0	0	0
Agricultural Lands	0	0	0
Forest	7	3	4

The FEMA National Flood Hazard Layer (NFHL) dataset represents the current effective flood data across the United States. Areas in the National Flood Hazard Layer are:

- Floodway: The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood height.
- 1% Annual Chance Flood: The 1% annual flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V, and VE. The Base Flood Elevation is that water-surface elevation of the 1% annual chance flood.
- 0.2% Annual Chance Flood: The 0.2% annual flood (500-year flood) is the flood that has a 0.2% chance of being equaled or exceeded in any given year.
- o Areas of Undetermined Flood Hazard are areas with possible but undetermined flood hazards.
- FEMA Flood Zone exposure analyses are inclusive of lesser FEMA flood designations. The number exposed to 1% Annual Chance Flood includes those exposed in the Regulatory Floodway area in its analysis and the 0.2% Annual Chance Flood includes those exposed in the 1% Annual Change Flood and in the Regulatory Floodway.

∅ LINK TO LAND AREA LIVE MAP

Marsh Erosion and Wetland Retreat

Marsh Frosion

Sea level rise and coastal storms have increased the amount of coastal salt marsh shoreline erosion. These erosive edges are in addition to the drowning of marshes due to increased inundation by saltwater.

• Shoreline Erosion (1977 - 2012): 0 Acres

Ø LINK TO MARSH EROSION MAP

Marsh Loss and Retreat

If coastal wetlands become permanently inundated by tidal water due to sea level rise, they can drown and no longer provide their beneficial natural functions. If they are able to "keep pace" with sea level rise, they will move from their original location by migrating landward. This is known as marsh retreat. This type of marsh retreat is only possible if the marshes are unimpeded from migrating. Impediments can be hardened structures like bulkheads, roads, revetments, etc.

Total Marsh Area Analyzed (2 ft SLR): 6 Acres

Marsh Retreat

Unimpeded Marsh, Able to Retreat: 3 Acres

Impeded Marsh, Unable to Retreat: 0 Acres

Marsh Conversion

Marsh Conversion to Mudflat: 0 Acres

Marsh conversion to open water: 3 Acres

Freshwater tidal marsh conversion to salt marsh: 0 Acres

Unaffected

Unaffected Tidal Marsh: 0 Acres

⊘ LINK TO MARSH RETREAT (2FT SLR) MAP

Access Points

Access Points In Exposed Areas

Along the NJ coastline, sea-level rise and coastal storms impact public access points that are important areas for recreation. Public access points are locations that provide a means of allowing the public to access the state's tidal waterways. These maps show the locations of public access points in relation to 2-foot and 7-foot flood events.

Access Point	Total Access Points	Access Points Exposed at 2 ft.	Access Points Exposed at 5 ft.	Access Points Exposed at 7 ft.
All Access Points	3	0	3	3

Ø LINK TO PUBLIC ACCESS POINTS MAP

Access Points In FEMA Flood Zone Areas

Along the NJ coastline, sea-level rise and coastal storms impact public access points that are important areas for recreation. Public access points are locations that provide a means of allowing the public to access the state's tidal waterways. These maps show the locations of public access points in relation to flood hazards.


			# Exposed in
Access Point	Total Access Points	1% Annual Chance Flood	0.2% Annual Chance Flood
All Access Points	3	3	3

Ø LINK TO FEMA PUBLIC ACCESS POINTS MAP

Maps


FEMA Flood Zones

⊘ LINK TO NATURAL AND WORKING LANDS LIVE MAP




2 ft. Exposed

⊘ LINK TO NATURAL AND WORKING LANDS LIVE MAP




5 ft. Exposed

Ø LINK TO NATURAL AND WORKING LANDS LIVE MAP




7 ft. Exposed

⊘ LINK TO NATURAL AND WORKING LANDS LIVE MAP



Legend



Penns Grove Borough: Built Infrastructure Assets Exposure Snapshot

Appendix: Background Information Regarding the Total Water Level Approach

This Appendix provides additional background on sea-level rise and the Total Water Level approach for assessing vulnerability of people, places, and assets in New Jersey to sea-level rise and sea-level rise combined with storm events.

Sea level Rise and Total Water Level: From 1911 to 2019, the mean sea-level rose 1.5 feet along the New Jersey coast, compared to a 0.6 feet rise in the global mean sea-level. New Jersey coastal areas are likely to experience sea-level rise of 0.5 to 1.1 feet between 2000 and 2030, and 0.9 to 2.1 feet between 2000 and 2050.

The number of days that New Jersey residents have experienced high-tide floods has also increased. From 2007 through 2016, there was an average of 8 high-tide flood events in Atlantic City each year. Based on the likely range of sea-level rise projections, Atlantic City will experience 17-75 days of expected high-tide flooding per year in 2030, and 45-255 days per year of expected high-tide flooding in 2050.

For the purposes of the exposure snapshots, different flood events are defined by total water levels (TWLs). TWLs present a height above high tide (See Figure A-1) that reflects the combined inundation from future sea-level rise and current




Figure A-1. Total Water Level reflecting combined inundation from future sea-level rise and flood events.

flood events projected into the future from the year 2000 (Kopp et al., 2019).

Flood events¹ can occur from surge created by a coastal storm (such as a hurricane or nor'easter) or from high tide each day as sea levels rise. For example, a 2-foot flood event along the New Jersey coast today can occur because of seasonal 'high-tide flood' conditions. By 2050, the same 2-foot flood events will become more frequent, occurring under normal high-tide conditions and inundating the affected areas². While flood events resulting from daily tides will result in permanent inundation (i.e., the water will not recede), coastal storm induced flood events last only for the duration of a storm. A 7-foot flood event along the New Jersey coast that approximates potential hurricane storm tides today will become more likely in the future as coastal storm surge occurs on top of an increased baseline of sea-level to create higher storm tides. You can use our tools at (NJADAPT / NJFLOODMAPPER) to develop custom water levels for your region.

¹Flood events referenced in this document as examples reflect 'total water level' heights above Year 2000 Mean Higher High Water, consistent with the sea-level baseline datum. See Kopp et al., 2019.

²See Kopp et al., 2019 Appendix B for region specific high-tide flood frequency projections.

Metadata / Sources - Flood Hazards

Name	Description	Map Service	Authoritative Source
FEMA Flood Zones	This FIRM data service allows users to view FIRMs for NJ. Counties were combined using the data downloaded from FEMA's Region II office.	FEMA Flood Zones Map Service	Federal Emergency Management Agency(FEMA)
Total Water Level (0 - 20 ft)	This dataset illustrates the scale of potential flooding, not the exact location, and does not account for erosion, subsidence, or future construction. Inundation is shown as it would appear during the highest high tides (excludes wind driven tides). The dataset should be used only as a screening-level tool for management decisions. As with all remotely sensed data, all features should be verified with a site visit.	Total Water Level Map Service	
Sea Level Rise (0 - 10 ft.)	This dataset was created as part of the National Oceanic and Atmospheric Administration Office for Coastal Management's efforts to depict potential sea level rise and its associated impacts on the nation's coastal areas. The purpose of the mapping viewer is to provide coastal managers and scientists with a preliminary look at sea level rise and coastal flooding impacts. The purpose of this dataset is to show potential sea level rise inundation above current Mean Higher High Water (MHHW) for the area. This dataset illustrates the scale of potential flooding, not the exact location, and does not account for erosion, subsidence, or future construction. Inundation is shown as it would appear during the highest high tides (excludes wind driven tides) with the sea level rise amount. The dataset should be used only as a screening-level tool for management decisions.	Sea Level Rise Map Services	NOAA Office for Coastal Management
SLR Mapping Confidence (0 - 10 ft.)	Inundation Uncertainty Associated with Elevation Data and Tidal Datum Conversion for Sea Level Rise. The purpose of this dataset is to depict errors that are directly related to elevation and water height data. These errors can be used to begin defining areas with mapped inundation that do not have the same level of confidence as other areas. For a detailed explanation of mapping methods, see https://meridian.allenpress.com/jcr/article-abstract/30/3/548/202407/Mapping-and-Portraying-Inundation-Uncertainty-of?redirectedFrom=fulltext	SLR Mapping Confidence Map Services	NOAA Office fo Coastal Management

Metadata / Sources - Marsh and Open Space

This data layer represents New Jersey tidal marshes. The data were extracted from the NJDEP 2012 Land Use/Land Cover GIS dataset (http://www.state.nj.us/dep/gis/lulc12.html), then further edited by the Center for Remote Sensing and Spatial Analysis (CRSSA), Rutgers University, using 2017 high resolution National Agricultural Imagery Program (NAIP) digital orthophotography for the purposes of the marsh impact/marsh retreat zone modeling and analysis. The data are gridded at a spatial resolution of 10 ft or 3+ m grid cell size. Open Space NJ Open Space, compiled from a county, state and federal sources. Tidal marsh retreat, showing baseline and likelihood of conversion for 1-3 ft. sea level rise Tidal marsh retreat, showing baseline and likelihood of conversion for 1 ft. sea level rise Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise	Map Service	Authoritative Source
Marsh Retreat Combined Tidal marsh retreat, showing baseline and likelihood of conversion for 1-3 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 1 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise	Tidal Marsh Map Service	Rutger University Center for Remote Sensing and Spatial Analysis
Combined conversion for 1-3 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 1 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise	Open Space Map Service	Rutger University Center for Remote Sensing and Spatial Analysis
1 ft. conversion for 1 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of conversion for 2 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of	Tidal Marsh Retreat Map Service	Rutger University Center for Remote Sensing and Spatial Analysis
2 ft. conversion for 2 ft. sea level rise Marsh Retreat SLR Tidal marsh retreat, showing baseline and likelihood of	Tidal Marsh Retreat Map Service	Rutger University Center for Remote Sensing and Spatial Analysis
	Tidal Marsh Retreat Map Service	Rutger University Center for Remote Sensing and Spatial Analysis
	Tidal Marsh Retreat Map Service	Rutger University Center for Remote Sensing and Spatial Analysis

Metadata / Sources - Access Points

Name	Description	Map Service	Authoritative Source
Tidal Water Public Access	The public's right to access tidal waters and their shorelines is a concept that existed prior to the inception of the State of New Jersey and continues to this day. Staff works with municipal governments to develop voluntary Municipal Public Access Plans consistent with the Coastal Permit Program (N.J.A.C. 7:7) and Coastal Zone Management rules (N.J.A.C. 7:7E) in an effort develop Municipal Public Access Plans to enhance public access to tidal waters in a comprehensive manner. This layer represents an inventory of public access points that has been collected to date. As additional public access plans and inventories are developed this layer will be updated.	Tidal Water Public Access Map Service	New Jersey Department of Environmental Protection (NJDEP)

Metadata / Sources - Land Use Land Cover

Name	Description	Map Service	Authoritative Source
Land Use / Land Cover 2015	This present 2015 update was created by comparing the 2012 LU/LC layer from NJDEP's Geographic Information Systems (GIS) database to 2015 color infrared (CIR) imagery and delineating and coding areas of change. Custom symbology for this dataset was created by the Rutgers Office of Research Analytics (http://ora.rutgers.edu)	Land Use / Land Cover Map Service	New Jersey Department of Environmental Protection